# **PA1080PAM**

Available in 15", 15.6", 19" and 22" Size Supports SD(HC) Card



#### **INTRODUCTION**


The PAB1080PAM is a high-performance and low-cost digital signage player that allows you to play advertising contents in 1080P HD.

No software is required, simply insert the SD(HC) card or USB flash driver with media files and it will play the media files automatically.

With the VESA standard hole (100mm x 100mm), you can mount the PAB1080PAM on the wall. The PAB1080PAM is an ideal for advertising, retail displays, digital poster, museum exhibits and other applications.


#### **FEATURES**


- Supports multiple file formats: Video, Photo and Music.
- Built-in LCD display (various sizes 15"/ 15.6"/ 19"/ 22" available for selection) and stereo speakers (5W x 2).
- Resolution: 1680x1050 (22")/ 1440x900 (19")/ 1366x768 (15.6")/ 1024x768 (15").
- The location of speakers can be selection (front speakers or rear speakers)



- Support VESA 100 (100mm x 100mm).
- Supports SD(HC) card and USB flash driver.
- Supports Auto-Play function.
- Play photos as a slideshow with background music
- Multi-Language OSD: English and Chinese

### CONNECTION





## **SPECIFICATION**

Product		PA15B1080PAM	PA156B1080PAM	PA19B1080PAM	PA22B1080PAM
Media File Format		Music/ Picture/ Video			
Storage		SD(HC) Card/ USB flash driver			
Input		Optional USB Port (for USB Auto-Copy Function			
Resolution		1024x768	1366x768	1280x1024 (4:3) 1440x900 (16:10)	1680 x1050
OSD Language		English / Chinese			
Features		Auto-Play function			
		Slideshow Function			
		USB Auto-Copy Function			
Mounting Hole Pattern		VESA 100 (100mm x 100mm)			
Dimensions (W/H/D) Unit: mm	Front Speakers	4:3 aspect ratio 350x342x46.8	16:9 aspect ratio	4:3 aspect ratio 420x412.5x46.8	16:10 aspect ratio
	Openiore	00000 12.4 10.10	007760EX10.0	16:10 aspect ratio 451.6x363x46.8	010001000
	Rear Speakers	350X288.5X46.8	387.5X250X46.8	4:3 aspect ratio 420x358x46.8 16:10 aspect ratio	16:10 aspect ratio 518x356x46.8
				451.6x333.5x46.8	
Panel	Brightness	250 cd/m <sup>2</sup>	250 cd/m²	300 cd/m <sup>2</sup>	300 cd/m <sup>2</sup>
	Contrast Ration	700:1	500:1	1000:1	1000:1 (4:3) 800:1 (16:10)
	Interface	LVDS			